


# 



# Bendix® Valves

Bendix QR-1 Quick Release Valve, Bendix QRN Quick Release Valve, & Bendix QR-L Inline Quick Release Valve

BENDIX MANUFACTURER'S SITE (https://www.bendix.com/en/products/valves/valves\_1.jsp)

BENDIX VALVES (https://www.bendix.com/en/products/valves\_1.jsp)

### **Product Highlights**

Manufactured with specific crack pressures. This is important in today's sensitive operating systems, white box products cannot meet this demand.

All valves are not alike. Do not let your customer jeopardize safety due to a look a like valve, braking systems demand valves that meet the OE requirements.

### Bendix QR-1 Quick Release Valve

- All aluminum die-cast cover and body
- · Wide variety of differential pressure ranges including:
  - Differential
  - 0 psi
  - 1 psi (max)
  - 2 4.5 psi
  - 6 8 psi
- · Highest flow capacity available in a quick release valve
- TMC washer indicating device and pressure setting
- Standard: 1.5" spacing between customer mounting holes
- · Standard: Open exhaust port

### Bendix QRN Quick Release Valve

- Plastic upper body (including threaded ports) and stamped steel lower body
- Wide variety of differential pressure ranges including: Black- slotted mtg bracket
  - Differential
  - 0 psi

- 1 psi (max)
- 2 4.5 psi
- 6 8 psi
- Beaded seat holds a sustained differential (10 sec)
- TMC washer indicating device and pressure setting
- Standard 1.5" spacing between customer mounting holes
- Two colored stamped brackets:
  - Grey through-hole mtg bracket

### Bendix QR-L Inline Quick Release Valve

- All zinc die-cast cap and body
- 0 psi differential pressure setting only
- QR-L is non-serviceable
- Two versions available:
  - Direct Mount
  - Bracket Mount

## **Top Movers - Bendix Valves**

| Part Number | Rank | Description             |
|-------------|------|-------------------------|
| BW 800333   | V1   | Quick Release Valve     |
| BW 248579   | V2   | Ring                    |
| BW 298818N  | V3   | Button                  |
| BW 289714N  | V4   | Quick Release Valve     |
| BW 286171N  | V5   | Foot Brake Valve        |
| BW OR229859 | V6   | CORELESS VALVE          |
| BW 298817N  | V7   | Button                  |
| BW 802744   | V8   | Quick Release Valve     |
| BW 229859N  | V9   | Quick Release Valve     |
| BW K028994  | V10  | Pressure Reducing Valve |
| BW OR289714 | V11  | CORELESS VALVE          |

| BW 065706   | V12 | Tractor Protection Valve |
|-------------|-----|--------------------------|
| BW 801526   | V13 | Spares Kit               |
| BW 800372   | V14 | Check Valve              |
| BW 800375   | V15 | Check Valve              |
| BW 131081   | V16 | Spares Kit               |
| BW K033221  | V17 | Spring Brake Valve       |
| BW OR102626 | V18 | CORELESS VALVE           |
| BW K073055  | V19 | Solenoid Assembly        |
| BW 802743   | V20 | Quick Release Valve      |
| BW 236982N  | V21 | Boot                     |
| BW OR286171 | V22 | CORELESS VALVE           |
| BW 801631   | V23 | Dash Valve               |
| BW K021558  | V24 | Spring Brake Valve       |
| BW 800260   | V25 | Dash Valve               |
| BW 801315   | V26 | Dash Valve               |
| BW 065661   | V27 | Dash Valve               |
| BW 802804   | V28 | Dash Valve               |
| BW 065476   | V29 | Relay Valve              |
| BW 102802N  | V30 | Spares Kit               |
| BW 278614N  | V31 | Double Check Valve       |
| BW 800629   | V32 | Foot Brake Valve         |
| BW K035691  | V33 | Dash Valve               |
| BW 802911   | V34 | Foot Brake Valve         |
| BW 284142N  | V35 | Safety Valve             |
| BW 103385N  | V36 | Drain Cock               |
| BW K021562  | V37 | Spring Brake Valve       |
| BW 279000N  | V38 | Tractor Protection Valve |

| BW OR229860 | V39 | CORELESS VALVE |
|-------------|-----|----------------|
| BW OR109615 | V40 | CORELESS VALVE |

### **General Product Information**

Bendix as an OEM supplier has chosen to Offer premium remanufactured and new shoes to meet your needs. OEM braking and Safety system expertise has been used to perfect the process to provide the driver with the best safety in braking through reduced braking distances to meet RSD mandate to consistent frictions that wear well without risk to Rust jacking. Your Tractor had Bendix originally, stay with the best to maintain your as equipped stopping distances and avoid costly liability and out of service issues.

### **Warranty Information**

Bendix Aftermarket Warranty (http://www.bendix.com/en/servicessupport/warranty/warranty\_2.jsp)

Last updated: Monday, 27 April 2020 04:52 PM

**∧**Back to Top

Copyright © Daimler Truck North America LLC. <a href="Privacy Statement">Privacy Statement</a>, <a href="Legal Notices">Legal Notices</a> and <a href="Terms">Terms</a> (<a href="https://daimler-trucksnorthamerica.com/privacy-policy">https://daimler.com/privacy-policy</a>). <a href="Privacy Settings">Privacy Settings</a></a>
All rights reserved. Daimler Truck North America LLC is a <a href="Daimler (http://www.daimler.com/">Daimler Truck North America LLC is a <a href="Daimler (http://www.daimler.com/">Daimler (http://www.daimler.com/</a>). company.