

Privacy Information

We like to continuously improve our website and enable you to use it in the best possible way. For this, we work with our partners to improve your experience. You may opt-out at any time. For detailed information about personal information we collect and third parties having access to it, please select "More Information" or refer to our Privacy Policy.

Legal Notice & Privacy Policy More Information



Privacy Information

We like to continuously improve our website and enable you to use it in the best possible way. For this, we work with our partners to improve your experience. You may opt-out at any time. For detailed information about personal information we collect and third parties having access to it, please select "More Information" or refer to our Privacy Policy.



Alliance Air Spring Competitive Advantage

Product Highlights

Easy replacement

The design of the top plates and bases is the same as the OEM which makes installation quick and easy.

High quality rubber

This allows perfect operation on different road conditions and in wide temperature range (-40F to 158F).

Last over 5,000,000 cycles

Our air springs are tested to last over 5,000,000 cycles.

Privacy Information

We like to continuously improve our website and enable you to use it in the best possible way. For this, we work with our partners to improve your experience. You may opt-out at any time. For detailed information about personal information we collect and third parties having access to it, please select "More Information" or refer to our Privacy Policy.

Heavy Duty top plates

The Alliance Air Spring top plates are 4mm thick, against 3mm or less from our competitors. This increases the overload resistance by 27%, significantly reducing the warranty claims

Superior Availability

- Manufacturing 100% verticalized, meaning every single sub-component is manufactured in house, significantly reducing backorders
- Stock available in North America for all part numbers

Top Movers - Air Springs

Part Number	Part Description	Box Height / Cm	Quantity Per Box
ABP N32 019781	AIR SPRING	73	24
ABP N32 018537	AIR BAG/PISTON AY,COMPOSITE PI	73	24
ABP N32 027215	AIR SPRING-CAB AIR SUSPENSION	48	200
ABP N32 018709	AIR SPRING	73	26
ABP N32 018050	AIR SPRING	48	11
ABP N32 018864	AIRSPRING, HEAVY DUTY	73	28
ABP N32 019069	AIR SPRING	48	28
ABP N32 019974	AIRSPRING - 1T15M7.5 CB 2CFST	48	14
ABP N32 019265	AIR SPRING	73	14
ABP N32 027206	AIR SPRING	48	200
ABP N32 019270	AIR SPRING	73	24-
ABP N32 019622	AIR SPRING	48	30
ABP N32 027205	AIR SPRING	48	200

Privacy Information

We like to continuously improve our website and enable you to use it in the best possible way. For this, we work with our partners to improve your experience. You may opt-out at any time. For detailed information about personal information we collect and third parties having access to it, please select "More Information" or refer to our Privacy Policy.

Alliance Air Springs offer the top selling suspension and cabin products. The suspension bags are complete versions, with steel top plate and base, direct replacement of the OEM. The cabin bags are also direct replacement, built with the same high quality materials.
Detailed drawings and crosses to OEM and Aftermarket codes are available in the catalog.
Warranty Information
Warranty on all Alliance Air Springs is 1 year.
Last updated: Monday, 14 August 2023 04:38 PM
▲Back to Top
Copyright © Daimler Truck North America LLC. <u>Privacy Statement, Legal Notices and Terms (https://daimler-trucksnorthamerica.com/privacy-policy)</u> . <u>Privacy Settings</u> All rights reserved. Daimler Truck North America LLC is a <u>Daimler (http://www.daimler.com/)</u> company.

Privacy Information

We like to continuously improve our website and enable you to use it in the best possible way. For this, we work with our partners to improve your experience. You may opt-out at any time. For detailed information about personal information we collect and third parties having access to it, please select "More Information" or refer to our Privacy Policy.