



Log In 💄

ALLIANCE PARTS



At Alliance Condensers, our primary focus is on prioritizing OE performance and fit in the design and production process. We achieve this by employing top-notch materials, innovative designs, and advanced manufacturing methods, all of which guarantee that our replacement condensers consistently uphold the utmost standards of quality and dependability.



Our condensers feature parallel flow design to increase cooling efficiency.

Tube-and-fin configuration strictly follows OEM design to ensure maximum heat transfer and performance during pressure drop.

Alliance offers a full range of DTNA Condenser applications, with all-make coverage on the way! For more information. please contact us.




Zinc Coated Tubes Our condensers include a zinc coating to enhance their resistance to salt corrosion, particularly in regions close to the coastline or experiencing significant snowfall.




Virgin Aluminum

Every bracket and fitting is crafted from pure, virgin aluminum to guarantee material purity and strength in the brazing bond.



Reinforced Fin Edge Design We fold the fin edges to enhance stability and improve heat dissipation characteristics.



Parallel Flow Design Our condensers incorporate a parallel flow design to enhance cooling effectiveness.

Top Mover - Freightliner Cascadia 2018 - 2021

Search Parts Guide

Search by Product, Vendor, or Vendor Code

| ALLIANCE CONDENSER | | | | | | |
|--------------------|--|-------------------------------|---------------|--------------------------------|--|--|
| Part Number | OEM # | APPLICATION | Flow | SIZE | | |
| ABP N83 32 0973 | 2261980000; 2262271000; 2262272000; 2262339000; 2265662000; 2265663000; 2265664000; A2262272000; A2266824002; A2266825000; A2266824002; A2266825000; A2267125000; A2267126000; A2272250000; A2272460000; A272250000; A2272460000; A277250000; A2772460000; A277250000; A2772460000; A2772460000; A2772460000; A277250000; A2772460000; A277250000; A2772460000; A277250000; A2772460000; A277250000; A2772460000; A27725000; A2772460000; A277250000; A2772460000; A277250000; A2772460000; A277250000; A2772460000; A277250000; A2772460000; A277250000; A2772460000; A27725000; A2772460000; A27725000; A2772460000; A27725000; A277246000; A27725000; A2772460000; A27025000; A2772460000; A27000; A277240000; A27725000; A2772460000; A27725000; A277246000; A27725000; A27725000; A2772460000; A27725000; A27725000; A27700; A27725000; A27725000; A27725000; A27725000; A27725000; A2772500; A27725000; A27725000; A27725000; A27725000; A27725000; A27725000; A27725000; A2772500; A2772500; A2772500; A2772500; A27725000; A27700; A2772500; A2772500; A2772500; A27700; A2772500; A2772500; A2772500; A27700; A2772500; A27725000; A2772500; A2772500; A277500; A2772500; A277500; A2775000; A277500; A2 | Freightliner Cascadia 08-16 | Parallel Flow | 33.17in (84.25cm) (56.85cm) | | |
| ABP N83 32 0863 | 1512015;1E6068; 650363; 77R6978; 9240609; ABPN83320863; BHT4698; MOD1E6068; PL3296; RD465270; | Freightliner Century M2 03-07 | Parallel Flow | 32in (81.28cm) X 18ir | | |

| ABP N83 32 2010 2265662000; 226 A266827000; A2267128000; A2272462000; A2277462000; ABP N83 32 0871 2265664000; 6500 ABP N83 32 0871 2232462001; ABP N83 32 0956 223246001; 223 ABP N83 32 0956 223246001; 223 ABP N83 32 0956 7C4 ABP N83 32 0956 22662271001; ABP N83 32 0956 7C4 ABP N83 32 0956 22662271001; ABP N83 32 0956 7C4 ABP N83 32 0964 22662271001; ABP N83 32 0964 22662271001; ABP N83 32 0964 22662270001; | ; 2262390000; 56828000; 650986; ; A22642000; ; A227252000; ABPN83322010 611; A2266840000; ABPN83320871; 52108; BHTE2513; 631001 39302001; 650607; C60000; CD40607; 10607 ; 2265271002; 2265663001; 2265663001; 2265663001; 226603000; ; A2266824002; ; A226682402; ; A2266824002; ; A284682002; ; A884682002; ; A884682002; ; A884682002; ; A884682002; ; A884682002; ; A884682002; ; A884682002; ; A8846820; ; A8846820; ; | Freightliner Business Class M2 08-10 Freightliner Business Class M2 03-07 Freightliner Various Applications 97-02/07 | Parallel Flow Parallel Flow Parallel Flow Parallel Flow | 27.94in (70.97cm) X (53.04cm) 24in (60.96cm) X 16.44in 28.25in (71.76cm) X (24.77cm |
|--|--|--|---|---|
| ABP N83 32 0871 A2267126000; BHTD2513; BHTE BHTP5 ABP N83 32 0956 2232466001; 223 ABPN83320956; C TC4 ABP N83 32 0956 2262271001; 226537200; 2265663002; 22 9240906; A2 A226824001; A226824001; A226824001; A226824001; A226824001; ABP N83 32 0964 A226837200; A226824001; A226824001; | ABPN83320871; E2108; BHTE2513; i631001 39302001; 650607; C60000; CD40607; 00607 ; 2265271002; 2265663001; 26566500; 79083; 2266603000; ; A2266824002; | | | 28.25in (71.76cm) X |
| ABP N83 32 0956 ABPN83320956; C TC4 2262271001; 226537200; 226563002; 22 9240906; A ABP N83 32 0964 A2266824001; A226824001; A226824001; A227125001; A2272249001; | C60000; CD40607; 10607 ; 2262271002; 2265663001; 26566500; 79083; 2266603000; ; A2266824002; | Freightliner Various Applications 97-02/07 | Parallel Flow | |
| 226337200; 2265663002; 22 9240906; A2 A2266824001; ABP NB3 32 0964 A2266839001; A2266839001; A2267125001; A2272249001; | 2265663001; 26566500; 79083; 2266603000; ; A22666824002; | | | |
| A2272459002; | , A2267125002; ; A22772459002; ; A22772459001; ; A2277249001; 740906; PT40906P | Freightliner Columbia 10-11 | Parallel Flow | 33.69in (85.57cm) X (46.84cm) |
| ABP N83 32 0952 1512016; 1E5865; 650610; 95050; BHT95050; K151 | 0039663; 1512012; ; 1E6069; 2440703; ; ABPN83320952; 12012; K1512016; 5; PB1655; PL5072 | Freightliner Coronado 04-13 | Parallel Flow | 34in (86.36cm) X 18.81in |
| ABP N83 32 2036 |)3; ABPN83322036; ; WSAA09410PF | Western Star 4900/6900 05-07 | Parallel Flow | 38.50in (97.79cm) X 14in |
| 3 101211TC; 350 ABP N83 32 0981 650608; A010693 B0A19893S; BT3 | D84002; 2430535;)1704; 613AC228; 3; ABPN83320981; Fr 30535; CD40608; 0608P | reightliner / Western Star Century Class (Various) 97-02 | Parallel Flow | 33.06in (83.97cm) X (48.74cm) |
| | 472; 652200; 49; VAL1210364 | Ford Sterling 96-06 | Parallel Flow | 34.38in (87.33cm) X (49.86cm) |
| 2265663000; 7 A2262271000; A2266824001; A2266824001; A226637025001; A2272459000; | : 2262271000; 79084; 9240731; ; A2266824000; ; A2266839000; ; A2267125000; ; A2272249000; ABPN83320961; 2271000; PT40731 | Freightliner Columbia 07-08 | Parallel Flow | 33.69in (85.57cm) X (46.84cm) |

| | IL | | L | L |
|-----------------|---|---|---------------|----------------------------------|
| ABP N83 32 2042 | 2433658; A2266826000; A2266841000; A2267127000; A2272251000; ABPN83322042 | Freightliner 108SD 114SD M2 106/112 12-13 | Parallel Flow | 33.88in (86.06cm) X (46.69cm) |
| ABP N83 32 0983 | ABPN83320983; F6HT19710BA; F6HZ19712A | Ford Sterling L-Series (Heavy Truck) 96-02 | Parallel Flow | 18.44in (46.84cm) X (92.86cm) |
| ABP N83 32 0979 | 650605; 6808300070; 6808300370; 6818300007; ABPN83320979 | Freightliner FL60 94-06 | Parallel Flow | 25.88in (65.74cm) X 20i |
| ABP N83 32 2009 | 652202; ABPN83322009; BHT61331; BHT87164 | Sterling Acterra 04-06 | Parallel Flow | 26in (66.04cm) X 20.13in |
| ABP N83 32 2041 | 2433649; ABPN83322041; BHT80319; BHTE4698 | Sterling Truck Acterra 03-05 | Parallel Flow | 26in (66.04cm) X 20.13in |
| ABP N83 32 2031 | 1140606; 2239302000; 2239302001; 79008; 9240606; ABPN83322031; FRAA06060PF | Freightliner FLA Series Cab-Over Engine, High Profile 96-02 | Parallel Flow | 28.13in (71.45cm) X (45.57cm) |
| ABP N83 32 0987 | 040610; 1140610; 2243941000; 2265663000; ABPN83320987; CON0068 | Freightliner Columbia 12.0L 01-03 | Parallel Flow | 29.38in (74.63cm) X 20i |
| ABP N83 32 2012 | 2262272001; 2265664001; 650609; 79119; A2266825000; A2266825001; A2266840001; A2267126001; A2272250001; A2272460001; ABPN83322012; ABPN83322118 | Freightliner Cascadia 113 L6 12.8L 10-12 | Parallel Flow | 33.88in (86.06cm) X (57.63cm) |
| ABP N83 32 2110 | 1S12193; ABPN83322110; MOD1S12193 | Western Star 4800/4900/6900 2004-2013 | Parallel Flow | 38 1/2in (97.79cm) (35.56cm) |
| ABP NB3 32 2116 | 040611; 1512011; 20046S; 2245017000; 2430526; 3101411TC; A0517636000; A3345017000; ABPN83322116; PT40611 | Freightliner Argosy 1999-2006 | Parallel Flow | 24 1/2in (62.23cm) (66.04cm) |

General Product Information

STRICT OEM DESIGN

Our tube-and-fin configuration adheres strictly to OEM design standards, ensuring that it aligns with the precise specifications required for optimal performance. Our replacement part facilitates maximum heat transfer efficiency, allowing the component to effectively dissipate heat under varying conditions. Superior performance occurs even during pressure drops, as the design has been refined to handle such challenges seamlessly. By upholding these stringent standards, we assure you that our product not only meets but surpasses the quality and functionality expectations, making it a reliable choice for your specific needs.

HELIUM TESTED

Our rigorous quality assurance process includes subjecting all replacement parts to a meticulous helium test. This advanced testing methodology guarantees that the replacement part is thoroughly inspected for any potential leaks. By subjecting our replacement part to this rigorous examination, we ensure that they are not just leak-resistant but genuinely 100% leak-free. This commitment to helium testing reflects our dedication to providing you with the highest quality products, instilling confidence that our parts will perform flawlessly and reliably in your vehicle.

Industry-Leading Warranty

Our Two-Year Unlimited Mileage industry-leading warranty offers you two years of coverage with no mileage restrictions. This warranty reflects our confidence in the durability and performance of our products, ensuring you peace of mind.

People Also Viewed



HVAC Compressors - Sanden (School Bus)

Last updated: Thursday, 07 March 2024 06:58 PM

▲Back to Top

Copyright © Daimler Truck North America LLC. <u>Privacy Statement, Legal Notices and Terms (https://daimler-trucksnorthamerica.com/privacy-policy)</u>. All rights reserved. Daimler Truck North America LLC is a <u>Daimler (http://www.daimler.com/)</u> company.